



RETAIL UK

EDGE 3 WITH TB3 SEATING

DEALERS DETAILS		DELIVERY DETAILS		
Dealers Name		Dealers Address		
Order Date				
Address				
	Postcode	Postcode		
Phone	Email	Quantum Specialist		
PO No	Order Ref	① Clients Weight		

BASE MODEL

14 Colour Options
Height Adjustable Removable Armrests
Centre Mount Foot Platform
TB3 Seating
14" Flat Free Drive Tyres
2" x 6" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£6,595

2"x 6" Flat Free Rear Castors SRS Suspension System NE+ Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5</i> ".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC
Custom Hydro Dip*	£600

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT PACKAGES - SEAT WIDTH SEAT PACKAGES - SEAT DEPTH 12"-16"W. 12"-16"D. 14"-16"W. 14"-16"D. 16"-20"W 16"-20"D 20"-22"W 20"-22"D Set width at: Set depth at:

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when iLevel is selected.

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	tandard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	£75
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£100
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£115
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£115
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£135
Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£135
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Static Seat.			
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.			
iLevel Powered Seat Lift & Tilt. 12" lift & 50° tilt. Up to 4.5 Mph drive speed while elevated. Uses 2 power options.			
Static Seat to Floor Height. From seat pan. 16.5" 17.5"			18.5″
Powered Tilt Seat to Floor Height. From seat pan.	17.5″	18.5″	19.5″
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	17.5″	18.5″	19.5″

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions	Standard
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate. SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2	£341
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA
Enter ADI Q-Back 2 part number here for quotation.	

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. Angle can be preset manually.	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports or powered recline.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600

BACK CANE ONLY SUPPORT

Active Conto	our Back Support v	vith TRU-Comfort 2 Ba	ck Cushion and Wedge	Inserts. Select size in Back Support Dimens	ions. Standard
Privacy Flap.	12.75"W. Closes gap	between back support and	l seat pan.		£50
ADI Back Su	oport. Skin protectio	n, 4 way stretch, Coolcore	cover. Mounts to canes wit	h cane clamps.	POA
Enter ADI Back	Support part nun	nber here for quotatior	1		
Back – Cane Only – Support Positioning. –	Tool Angle A	djustable. <u>85° to 120° in 5</u>	° increments.		Standard
	Flip-forward Back Canes. Not suitable for occupied transport or with Endo mounts.				£200
	2" Endo Cane Mounts. 1" each side. Reduces back width by 2". Minimum seat width 12".				£40
	4" Endo Cane	Mounts. 2" each side. Red	duces back width by 4″. Mii	nimum seat width 14″.	£40
Back Cane Height. From seat pan.	16″H.	17"H.	18″H.	19"H.	20″H.
	21″H.	22″H.	23″H.	24"H.	25″H.

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if an ADI back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package. —		12"-14"W.	14"-16"W.	16"-20"W.
		18"-22"W.	20"-24"W.	
Back <u> </u>	12″W.	14″W.	16″W.	17″W.
	18″W.	19″W.	20"W.	21″W.
Width.	22″W.	24"W.		
	14"H. <i>12"W back only</i> .	15"H. <i>12"W back only</i> .	16″H.	17″H.
Back Support — Height.	18″H.	19″H.	20″H.	21″H.
	22″H.	23″H.	24″H.	25″H.
	·			
From seat pan.	26"H.	27″H.	28″H.	29″H.

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

2-Post Flip-up Remova	ble. Adjustment range 9" to 13" fror	m seat pan. Minimu	m seat depth 16".	Standard	
Paediatric Single Post I	Drop-in Removable. <i>Adjustment</i> i	range 7.75″- 9.75″ f	rom seat pan. 10″ pads only.	FOC	
Single Post Drop-in Re	Single Post Drop-in Removable. Adjustment range 11"-17" from seat pan. Minimum seat depth 14".				
TB3 Flip-back. Adjustme	nt range 8″-16″ from seat pan. Includ	des lateral in/out ac	djustment.	£350	
Down Posts for TB3 Flip	o-back. Only with TB3 Flip-back arm	n supports. Minimu	m seat/back width 16".	£100	
	10" Standard	Standard	10" Waterfall. Not with Std flip-up or TB Flex.	FOC	
	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC	
Arm Support Pads.	17" Standard. TB3 only. Minimum seat depth 16".	£50	Falcon Gel Mounting Plates. Required for 2-post, Single Post & Paediatric arm supports	£40	
	10" Falcon Gel	£40			
	14" Falcon Gol	£40			

- Base Mounted inp ap	Foot Platform. Mounte	d to chassis. Will n	not move with powe	ered lift or tilt.		FOO
Manually Adjustable C	Centre Mount Foot Plat	form. Minimum	seat width 14″.			Standard
Paediatric Adjustable	Centre Mount Foot Pla	tform. 12"-14" se	eat widths only.			FOC
Power Elevating Articu	ulating Centre Mount F	oot Platform. A	Ainimum seat width	n 14". Uses 1 power o	pption.	£700
Power Elevating Articu			t Foot Platform.	Minimum seat widtl	h 14".	£1112
ower Leg Extensions. From	m seat pan.	8"-12". Paediatric mount on	r centre ly. FOC	10″-16″. *	FOC 13"-19	′.* STD
ootplates.	10″W x 6″D Spli	t Footplates. <i>Pa</i>	ediatric centre mou	ınt only.		FOC
ootpiates.	10"W x 8"D Spli	t Footplates.	FOC	10″W x 11″D S	Split Footplates.	Standard
Talf Cumpart	Individual Calf F	Pads. 6"W x 6"H.	Standard /	Calf Panel. 18"	"W x 8"H.	£42
Calf Support.	Reverse Dartex	Calf Pad Covers	s. £42 (Reverse Darte	ex Calf Panel Cover.	£62
	4" Width Extens	sion Kit. <i>Not avai</i>	ilable with 2″ length	n kit or 10″W x 6″D fo	ootplates.	£16
ootplate	2" Length Exten	sion Kit. Not ava	ilable with 4″ width	n kit or 10″W x 6″D fo	ootplates.	£16
ccessories.	Footplate Conn	ector.	£10	Outer Edge Si	upports.	£10
DIVIDUALLY MO	Wheel Bumpers	•••••		•	may result in reduced gro tact Quantum Technical fc * Manually a	
70° Swing-Away Leg S	upports. Flip-up footplat	tes. Adj. range 12″	to 15″. Minimum se	at width 15″.		FOC
90° Paediatric Swing-A					"to 11".	£110
Manual Elevating Swir						£130
	3 , 3 1 					
Power Elevating Swing		Flip-up f/plates. A	dj. range 14.5" to 19	9.5". Min. seat width		os. £650
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions.	UNTED CONFIG	Flip-up f/plates. A	dj. range 14.5" to 19	9.5". Min. seat width	16". Uses 2 power option	£110
DIVIDUALLY MO	UNTED CONFIG	Flip-up f/plates. And URABLE LI Gupports. Select FOC	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep	C.5". Min. seat width TS tes below. Minimum Standard	16". Uses 2 power option	£110 FOC
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"Wx6"D.	URABLE LI Supports. Select FOC ed. STD	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S	TS tes below. Minimum Standard th £115 elect size below.	16". Uses 2 power option seat width 15". 15.5"-19.5" Multi-axis. Select size below.	£110 FOC £263
60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D. 4"W x 6"D	Flip-up f/plates. And URABLE LI Supports. Select FOC ed. STD	EG SUPPOR lowers and footplate 13.5"-16.5" Angle & Dep Adjustable. 5 5"W x 6"D	C.5". Min. seat width TS tes below. Minimum Standard th £115	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D	£110
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only.	unted config able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D	FIIP-up f/plates. And URABLE LI Supports. Select STD FOC FOC Standard	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S	TS tes below. Minimum Standard th £115 elect size below. FOC	16". Uses 2 power option seat width 15". 15.5"-19.5" Multi-axis. Select size below.	£110 FOC £263 FOC FOC
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumper	Flip-up f/plates. And URABLE L. Supports. Select Supports. Select Supports. Select STD FOC Standard	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D	es below. Minimum Standard th £115 elect size below. FOC FOC	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC FOC
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articular	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 4"W x 6"D 6"W x 8"D Wheel Bumper	Flip-up f/plates. And URABLE L. Supports. Select Supports. Select Supports. Select STD FOC Standard	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D	es below. Minimum Standard th £115 elect size below. FOC FOC	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC FOC
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 4"W x 6"D 6"W x 8"D Wheel Bumper	Flip-up f/plates. And URABLE L. Supports. Select Supports. Select Supports. Select STD FOC Standard	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D	es below. Minimum Standard th £115 elect size below. FOC FOC	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC FOC £10
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articular	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumper ulating Swing-Away Leg	Flip-up f/plates. And URABLE LI Supports. Select Supports. Select STD FOC Standard rs rg Supports. Inc. FOC	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D calf pads. Adj.range 1 14.5"-18"	es below. Minimum Standard th £115 elect size below. FOC FOC	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10 £1250
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articu Lower Leg Extensions. From seat pan. Footplate Type.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 4"W x 6"D 6"W x 8"D Wheel Bumper ulating Swing-Away Le 11"-13"	Flip-up f/plates. And URABLE LI Supports. Select Supports. Select STD FOC Standard rs rg Supports. Inc. FOC	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D calf pads. Adj.range 1 14.5"-18"	es below. Minimum Standard th £115 elect size below. FOC FOC	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC FOC
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articu Lower Leg Extensions. From seat pan.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 4"W x 6"D 6"W x 8"D Wheel Bumper ulating Swing-Away Le 11"-13" Angle & Depth	Flip-up f/plates. And URABLE LI Supports. Select Supports	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D calf pads. Adj.range 1 14.5"-18"	es below. Minimum Standard th £115 elect size below. FOC FOC S" to 20". Min. seat widt	16". Uses 2 power option seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D th 15". Uses 2 power option. 17.5"-21"	£110 FOC £263 FOC £10 £1250 FOC Standard
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articu Lower Leg Extensions. From seat pan. Footplate Type.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 4"W x 6"D Wheel Bumper Ulating Swing-Away Le 11"-13" Angle & Depth 4"W x 6"D	FOC Standard FOC Standard FOC Standard FOC FOC Standard FOC FOC Standard FOC Standard	EG SUPPOR lowers and footplate 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D calf pads. Adj.range 1 14.5"-18" lect size below. 5"W x 6"D	es below. Minimum Standard th £115 elect size below. FOC FOC Standard	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D th 15". Uses 2 power option. 17.5"-21" 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10 £1250 FOC Standard
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articu Lower Leg Extensions. From seat pan. Footplate Type. Footplate Type. Footplate Size.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 6"W x 8"D Wheel Bumper Ulating Swing-Away Leg 11"-13" Angle & Depth 4"W x 6"D 6"W x 8"D Small Calf Pads	FOC Standard FOC Adjustable. Select FOC Standard FOC Standard	EG SUPPOR lowers and footplat 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D calf pads. Adj.range 1 14.5"-18" lect size below. 5"W x 6"D 6"W x 11"D	es below. Minimum Standard th £115 elect size below. FOC FOC S" to 20". Min. seat widt Standard FOC FOC Wheel Burn	16". Uses 2 power option 2 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D th 15". Uses 2 power option. 17.5"-21" 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10 £1250 FOC Standard
DIVIDUALLY MO 60° to 90° Tool Adjusta Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articu Lower Leg Extensions. From seat pan. Footplate Type. Footplate Type. Footplate Size.	UNTED CONFIG able Swing-Away Leg S 11"-13" Flip-up Extrude 8.5"W x 6"D 6"W x 8"D Wheel Bumper Ulating Swing-Away Le 11"-13" Angle & Depth 4"W x 6"D 6"W x 8"D Small Calf Pade Large Calf Pade Certain configurations of	FOC Standard	EG SUPPOR lowers and footplate 13.5"-16.5" Angle & Dep Adjustable. S 5"W x 6"D 6"W x 11"D calf pads. Adj.range 1 14.5"-18" lect size below. 5"W x 6"D 6"W x 11"D Standard FOC ed ground clearance led	C.5" Min. seat width TS Standard Standard th £115 elect size below. FOC FOC S" to 20". Min. seat width Standard FOC FOC Wheel Burn Gel Paddectoelow footplates. Compared to the seat width of the seat wi	16". Uses 2 power option 1 seat width 15". 15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D 17.5"-21" 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10 £10 Standard FOC £10 £10 £60 or information

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. HMO475-17M/CP08CCFPM.	£219
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£219
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£219
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ACP150M.	£327
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£88

STEALTH TRUNK SOLUTIONS

UniLink Thoracic .	Lateral Thoracic Swing	g-away Hardware	£425	Additional 1.5" Link (ea	ach).	£52
Lateral Supports.	3" H x 5" L Curved La	teral Pad.	£72	Additional 2" Link (eac	h).	£52
Supplied as a pair. —	4" H x 6" L Curved La	teral Pad.	£72	Additional 3″ Link (eac	h).	£52
	Extra Small £137 /	Classic	STD* /	Dynamic STD* /	Vinyl Face	FOC
	Small £137	Contoured	FOC	Structured FOC	Zipper Face**	FOC
4-Point Harness.	Medium £137		(/		
	Large £137					
	Extra Large £137					
_	Extra Small £87	Small	£87 /	Side Release	Sta	ndard
Chest Strap.	Medium £87	Large	£87(Velcro Release		£19
_	Extra Large £87					•••••

 $Please\ visit\ steal th products. com\ for\ alternative\ head\ supports.$

*STD = Stand	ard option	**Classic On
--------------	------------	--------------

ζ.	ΓFΑ	IT	н	PF	I١	/1	۷,	TI	41	GF	4 5	0	1	ITI	N	IS
. 7	ГРМ		п.			, ,	 \sim		_				_		 / II W	

UniLink Thigh Supports.		£176	UniLir	nk Hip Guid	e Long Removable.	£176	
		£176	Unilin	£176			
	LEFT	£48		4x4 Pelvio	Thigh Pad.	£48	RIGHT
		£48		4x8 Pelvio	Thigh Pad.	£48	
•		£48		4x12 Pelvi	c Thigh Pad.	£48	
		£156	•	Fixed Can	e Mounted.	£156	
Knee Adductors.	LEFT	£170	S۱	wing-Away [*]	Track Mounted.	£170	RIGHT
Kilee Adductors.	LEFT	£36		3" Rounc	l Knee Pad.	£36	RIGHT
		£36		4" Rounc	l Knee Pad.	£36	
Pelvic Belts.	Auto Buc	kle Lap Belt, Ρι	ısh Button	Release.			Standard
Pelvic Beits.	Retractab	le Lap Belt, Pu	sh Button	Release.			£156
	Extra Small		8 /	Single Pull	Standard /	Side Release	Standard
Positioning	Small	£78	8 \ F	Rear Pull	FOC	Push Button	FOC
2-Point Padded Pelvic Belt.	Medium	£78	8 \	Dual Pull	FOC		
reivic beit.	Large	£78	8 >				
	Extra Larg	ge £78	8				
Stealth Positioning	Extra Sma	all £120	Small	£120 /	Push Button		Standard
4-Point Linear Padded Pelvic Belt,	Medium	£120	Large	£120	Side Release		£20
Single Pull.				(
	Fixed Flip	-down Hardwa	are. <i>MTHW-6</i>	60. £180	Small Wedge. A	/ITMD-12.	£103
Medial Supports (Pommels).	Medium	Wedge. MTMD-	13.	£103	Large Wedge. A	ИТMD-14.	£103
•	Adjustab	le Wedge. <i>MTM</i>	D-42.	£199		e visit stealthproducts.co ateral, pelvic & lower ext	
							,

NON-EXPANDABLE CONTROLS

NE + Controls. With no power options.		Standard
NE + Controls. 2 power option ready.		£125
	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£100
<u>.</u>	Dual Controls. Hand control and secondary attendant control at rear.	£430

EXPANDABLE CONTROLS

Q-Logic 3e and 3 EX h	nand controls are supplied with built-in	n Bluetooth. Q-	Logic 3 Enh	anced Display is supplied with buil	t-in Bluetooth and Infrared		
Q-Logic 3e	Controls. No power options.					£225	
Q-Logic 3e	Controls. 2 power option ready.					£300	
Q-Logic 3e	Controls. 5 power option ready.					£500	
Q-Logic 3 E	X Controls. No power options.					£275	
Q-Logic 3 E	X Controls. 2 power option ready					£350	
Q-Logic 3 E	X Controls. 5 power option ready					£550	
Q-Logic 3 E	nhanced Display. <i>Includes 2 egg</i>	switches & fle	exible displ	lay mount.		£1074	
IR Blaster. Ir	nfrared module for Q-Logic 3 EX hai	nd control.				£50	
SCIM Modu	lle Kit. Allows Q-Logic 3 EX joystick	display to be	used for sp	peciality controls. Not available	with 3e controls.	£316	
	4 Button Switch Module. osite armrest unless specified.	£300	} -	Push Button iAccess Toggle Lever iAccess	If iAccess is selected Push Button or Togg		
	Hand Control. Select po	sition in Hand	d Control N	Nounts below.		Standard	
Control	Omit Hand Control. O	ften selected v	vhen ED is	used as master remote with spe	cial device.	-£100	
Method.	od. Attendant Control. Hand control mounted at rear.						
	Dual Controls. Hand co	ntrol and seco	ondary atte	endant control at rear.		£430	

 $Please\ visit\ steal th products. com\ for\ alternative\ control\ options\ such\ as\ mini\ joysticks,\ head\ arrays\ \&\ switches.$

HAND CONTROL MOUNTS

Fixed.					Star	ndard
Swing-away. Swings ir	& out with height, tension	and pivot adjustm	nent.			£75
Retract 4 Swing-away	y. Full 180° Movement.					£150
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	Standard	T-Bar	£35	Extended I-Handle	£35
Hand Control Joystick Handle	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
	Chin Cup	£35	Soft Ball	£35	4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included. Not available with NE+ controls.	Standar
4 Mph Program with Lights and indicators. Not available with NE+ controls.	£45
6 Mph Program with Lights and indicators.	£45
Lights & Indicator Surcharge. Required if no power options have been selected.	£26
Accu-Trac Motors. Requires Q-Logic 3 EX. Delivers enhanced traction and tracking, especially with switched drive controls. Only available with 6 mph speed program and lights package.	£45
LED Fender Lights. Includes single switch button mounted to side rail. Not road legal.	£19

ACCESSORIES

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail. Not available with VR2 or R-Net.	£11
Cup Holder. Only with TB3 flip-back arm supports.	£2
Personal Item Hooks. Not with back cane option.	£1
Mobile Phone Holder. <i>Only with TB3 arm supports</i> .	£4
Back Pack Holders. <i>Not with back cane option</i> .	£3
Cane/Crutch Holder. Requires Accessory Bar.	£5
Clothes Guards. Only with TB3 arm supports.	£10
Glove Box.	£3
Hydration System.	£12
Dxygen Holder.	£5
Quick Release Transfer Bars.	£12
Stealth Tablet Holder.	£34
Push Handles. Not with back cane option.	£
Accessory Bar.	£
Back-up Camera.	£30
Quantum Back Pack.	£1
Additional XLR USB Charger Port.	£
Magnetic to XLR Charger Adapter. <i>Only with Q-Logic 3e.</i>	£
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£37
Wooden Trim Kit for Tray. Only with swing-away tray table.	£10
Prepare Chassis for Dahl Docking System. <i>Dahl system not included.</i>	£10

NOTES & SPECIAL REQUESTS

PRICE

EDGE 3 WITH TB3 SEATING



BASE PRICE

£6,595

COST OPTIONS

TOTAL



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk

RETAIL UK - 24/04/23 V1













