	SUNRISE MEDICAL	QUICKI XZNON
Invoice to:		Deliver to:
Name:		Name:
Street:		Street:
Town:	Postal code:	Town: Postal code:
E-Mail:		E-Mail:
Tel:	Fax:	Tel: Fax:
Order date: Purchase order: Number required:		Marked for: Sunrise order no:
□ Order	□ Quotation □ Built 4 me (longer	leadtime) \bullet = Standard O = No cost option \square = Cost option
	Base Price £2,995	Max. user weight: 110Kg / 140kg USER WEIGHT kg
	mber: +44 (0)845 605 66 89 orders@sunmed.co.uk	Mandatory information to ensure correct configuration Part no: 76 800 001 MSH01 UK CA
	FRAME TYPE - Please choose require	ed Frame option (Illustrated on back pages)
Open frame	O (max. user weight 110kg) (Page 12)	Hybrid frame O (max user weight 140kg) (Page 13)

CLIENT MEASUREMENT - All measurements in cm without cushion

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

I	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
I	0	0	0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION

I	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
I	0	0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

	Fork (length)	Frame:	43	44	45	46	47	48	49	50	51	52	53	54	55
	111 mm		0	0	0										
	123 mm <i>(1)</i>	low			0	0	0								
	Frog Leg <i>(1)</i>	T IOW													
3"	One Arm <i>(1)</i>														
٦	111 mm						0	0	0						
	123 mm <i>(1)</i>	high							0	0	0				
	Frog Leg <i>(1)</i>	ılığı													
	One Arm <i>(1)</i>														
	111 mm			0	0	0	0								
	123 mm <i>(1)</i>	low			0	0	0	0							
4"	Frog Leg (1)	T IOW													
	One Arm <i>(1)</i>	1													
	111 mm							0	0	0	0				
	123 mm <i>(1)</i>	high							0	0	0	0			
	Frog Leg <i>(1)</i>	iligii													
	One Arm <i>(1)</i>														
	111 mm					0	0	0							
	123 mm <i>(1)</i>	low					0	0	0						
	Frog Leg <i>(1)</i>	IOW													
	One Arm <i>(1)</i>														
5"	111 mm									0	0	0			
	123 mm <i>(1)</i>	high									0	0	0		
	Frog Leg <i>(1)</i>	iligii													
	One Arm <i>(1)</i>														
	123 mm <i>(1)</i>	low						0	0	0					
6"	123 mm <i>(1)</i>	high										0	0	0	
	Frog Leg (1)	ılığı													

(1) compatible with power add on devices. For 123mm fork, please choose option XFF090093 "Fork for power add ons" additionally.

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height in cm

	. tou	oout			•									
Rear Wheels	37	38	39	40	41	42	43	44	45	46	47	48	49	50
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

								£
		SEAT						
Seat sling								
XFF020002	0	Seat sling, nylon, tension adjustab	le, 1 utility bag	1			(Standard option)	
XFF020003		Seat sling, nylon, tension adjustab					(only from SW 34 cm)	62
XFF020004		Seat sling, nylon, tension adjustab	le, 1 utility bag	, 1 cathete	r bag		(only from SW 34 cm)	98
XFF020000	0	Without seat sling						
Seat cushic	on, co	over with zipper, black						
Foam (medi			020101 🗆	3 cm	XFF020102	□ 5 cm		80
Latex (very	soft)	Thickness: XFF	020103	5 cm				80
Seat acces	sorie	s						
XFF090018		Lap belt with buckle, metal						51
XFF020050		Additional padding for seat uphols	tery, removabl	е				34
JAY Cushid	ons -	for complete product range see J	AY order forn	ns				
JAY020002		JAY Basic						69
JAY020003		JAY Soft Combi P						98
JAY020001		JAY Easy Visco, Curved Base						167
JAY020004		JAY Lite						272
JAY020007		JAY Easy Fluid, Curved Base						389
		BACKREST						
Daalahainh	4		25 20	30 - 35	25 40	40 - 45	45 - 47,5	
Back heigh		-	25 - 30		35 - 40		<u> </u>	
		ght factory setting (cm).		0 30	O 35	O 40	O 45	
neigni aujus	sunei	sta of in total E am possible	O 27 E	O 22	5 0 27 5	0 42 5	O 47.5	
I		nts of in total 5 cm possible.	0 27.5	0 32.5		O 42.5	O 47.5	
		its of in total 5 cm possible.	O 27.5 O 30	O 32.5	5 O 37.5 O 40	O 42.5 O 45	O 47.5	
Backroot b	o i a b t	·	0 30	0 35	0 40	0 45	O 47.5	245
	_	, carbon fibre tubes (3)	O 30	O 35	○ 40 5 □ 30	O 45	O 47.5	245
	_	·	0 30	0 35	○ 40 5 □ 30	0 45	O 47.5	245 245
Fixed heigh	t, non	, carbon fibre tubes (3) height adjustable	O 30	O 35	○ 40 5 □ 30	O 45	O 47.5	
Fixed heigh	_	, carbon fibre tubes (3) height adjustable Backrest, fixed (90°)	○ 30 □ 25 □ 35	O 35	○ 40 5 □ 30 5 □ 40	O 45	O 47.5	
Fixed heigh	t, non	height adjustable Backrest, fixed (90°) O Desk sideguard preparation	○ 30 □ 25 □ 35 for later replace	O 35	0 40 5	O 45 □ 32.5 □ 42.5		= : -
Fixed heigh XFF030010 XFF030029	t, non	height adjustable Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the f	○ 30 □ 25 □ 35 for later replace	O 35	0 40 5	O 45 □ 32.5 □ 42.5	O 47.5	245
Fixed heigh XFF030010 XFF030029 XFF030031	t, non	Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the fixed)	○ 30 □ 25 □ 35 for later replacement) (6)	O 35	O 40 5 □ 30 5 □ 40 (4) (from	O 45 □ 32.5 □ 42.5	i cm, fixed back height, not adjustable)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030012	t, non	Backrest, fixed (90°) Desk sideguard preparation Backrest, angle-adjustable Desk sideguard preparation	o 30 25 35 for later replacement) (6)	O 35	(4) (from (5)	O 45 □ 32.5 □ 42.5 back height 32.5	cm, fixed back height, not adjustable) (75° to 103°)	245
Fixed height XFF030010 XFF030029 XFF030031 XFF030012 XFF030029	O O	Backrest, fixed (90°) Desk sideguard preparation Backrest, angle-adjustable Desk sideguard preparation	o 30 25 35 for later replacement) (6)	O 35	(4) (from (5)	O 45 □ 32.5 □ 42.5 back height 32.5	i cm, fixed back height, not adjustable)	245
Fixed height XFF030010 XFF030029 XFF030031 XFF030012 XFF030029 XFF030031	O O	Backrest, fixed (90°) Desk sideguard preparation Backrest, angle-adjustable Desk sideguard preparation	o 30 25 35 for later replacement) (6)	O 35	(4) (from (5)	O 45 32.5 42.5 back height 32.5	cm, fixed back height, not adjustable) (75° to 103°)	245
XFF030010 XFF030029 XFF030031 XFF030012 XFF030029 XFF030031 Push hand	t, non	Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the fackrest, angle-adjustable Desk sideguard preparation Backrest, fold-down (to the fackrest, angle-adjustable) Omit push handles	o 30 25 35 for later replacement) (6)	O 35	(4) (from (5)	O 45 32.5 42.5 back height 32.5	i cm, fixed back height, not adjustable) (75° to 103°) i cm, fixed back height, not adjustable)	245
Fixed height XFF030010 XFF030029 XFF030011 XFF030029 XFF030031 Push handl XFF030200	t, non	Backrest, fixed (90°) Desk sideguard preparation Backrest, angle-adjustable Desk sideguard preparation Backrest, fold-down (to the feackrest) Backrest, fold-down (to the feackrest)	o 30 25 35 for later replacement) (6)	O 35	(4) (from (5)	O 45	i cm, fixed back height, not adjustable) (75° to 103°) i cm, fixed back height, not adjustable)	245
Fixed heigh XFF030010 XFF030029 XFF030031 XFF030029 XFF030031 Push handl XFF030200 XFF030201	t, non	Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the final backrest, angle-adjustable Desk sideguard preparation Backrest, fold-down (to the final backrest)	o 30 25 35 for later replacement) (6) for later replacement) (6)	O 35	(4) (from (5)	O 45 32.5 42.5 back height 32.5 (only available)	i cm, fixed back height, not adjustable) (75° to 103°) i cm, fixed back height, not adjustable) (Not available with fold down backrest)	245

- (2) only with lightweight adapter
- (3) not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes
- (4) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°
- (5) necessary for retrofitting Desk sideguard
- (6) not with height adj. push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 40cm upwards; please see Folding Matrix on Page 8

Backrest up	ohols	tery	£
XFF030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)	
		Colour, binding tape: O Black (Std) O Orange O Silver O Red O Blue	
XFF030317		EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version)	
		Colour, binding tape: ○ Black (Std) □ Orange □ Silver □ Red □ Blue	178
XFF030300	0	Without backrest upholstery	
Accessorie	s for	backrest	
XFF030402		Stabilising bar, automatic folding (only available from SW 38cm; not with fixed height backrest)	171
			
JAY 3 Back	- Sh	allow Contour	
Mid Thoracio	c:	☐ JAY030010 Medium - 34 cm ☐ JAY030033 Tall - 38 cm	640
Upper Thora	acic:	□ JAY030012 Short - 42 cm □ JAY030019 Medium - 46 cm □ JAY030025 Tall - 50 cm	724
JAY 3 Back	- Mic	Contour	
Mid Thoracio	c:	□ JAY030011 Medium - 34 cm □ JAY030018 Tall - 38 cm	640
Upper Thora	acic:	□ JAY030013 Short - 42 cm □ JAY030020 Medium - 46 cm □ JAY030026 Tall - 50 cm	724
JAY 3 Carb	on B	nck - Shallow Contour	
Lower Thora	acic:	□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm	766
Mid Thoracio	C:	□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	766
		·	
Accessorie	s for	JAY J3 backs	
WHT030415		□ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 backs)	322
WHT030416		□ Whitmyer Headrest, AXYS, Standard (only with JAY J3 backs)	220
JAY090058		☐ JAY Accessory bag (only with JAY J3 Carbon backs)	58
		ARMREST AND SIDEGUARDS	
Armrest			
XFF040005	0	Desk sideguard, flip-up, removable	
XFF040001	0	Desk sideguard, armpad (25 cm), fixed, flip-up, removable	
XFF040003	0	Desk sideguard, armpad (31 cm), fixed, flip-up, removable	
XFF040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	229
XFF040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	229
XFF040052		Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	244
XFF040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable	245
Accessorie			
XFF040020	0	Release assistance for tetraplegics (only with desk sideguard)	
Sideguards		(wy was every series)	
XFF040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black	
XFF040101		Sideguard, carbon fibre, cold weather protection, slim (black)	245
XFF040102		Sideguard, aluminium, cold weather protection (in frame colour)	273
XFF040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)	293
XFF040104		Sideguard, carbon fibre, fender, cold weather protection (black)	374
7.1 070104		Ologuala, Calbott libre, Terider, Cold Weather protection (black)	3/4
		FOOTBOARDS	
XFF050131	0	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	
XFF050061		Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), can strap, black (LLL 22-34cm)	268
XFF050023		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	178
XFF050126	_	Swing-away mechanism for platform footboard (minimum LLL 3cm longer)	123
XFF050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (7)	268
XFF050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	370
		Footboard, platform, lightweight, carbon hore, angle & depth-adj. hip up (sideways), call strap, black	3/0
XFF050027			370
		Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adjustable, calf strap, black	
XFF050028		Footboard, platform, lightweight, plastic, auto-folding, angle and depth-adjustable, calf strap, black	304
		Association for facth courts	
VEE050407		Accessories for footboards	35
XFF050127		Foot positioning plate (Adjustable side protection, to create a side-stop on the footboard) (8)	25

⁽⁷⁾ not in SW32 with 1 cm inset

⁽⁸⁾ only for footboard, platform lightweight or Performance

			£
		LOWER LEG LENGTH (LLL): LLL has to be 2,5 cm less than front seat height; all measurements are in cm	
	0	22	
	0	32	
	0	42	
		FRAME VERSIONS	
		Open frame (max. user weight 110kg)	
XFF010012	0	Frame FF 80 ° (integrated footrest) (100 ° EU)	
		XFF010101 □ Inset: Slight (1 cm)	141
XFF010013		(== ==)	141
		XFF010101	141
		Hybrid frame (max user weight 140kg)	
XFF010020	0		
XFF010021	0	Frame FF 88 ° (integrated footrest), hybrid (92 ° EU)	
		CENTRE OF CRAVITY (COC)	
VEE070702	۸da	CENTRE OF GRAVITY (COG) (4= very passive 13= very active) poter. standard 0 2 0 3 0 4 0 5 0 6	
XFF070703	Aua	1,	
		07 08 09 010	
XFF070701	۸۵۵	pter, lightweight <i>(9)</i> 05 06 07 09 010 011	
XFF0/0/01	Aua	pter, lightweight (9)	
XFF010411	0	Axle plate, aluminium, long (full adjustment)	
XFF010412			221
		, , , , , , , , , , , , , , , , , , , ,	
		FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side)	
XFF090016		Frame protection, black	81
XFF090100	0	Transportation brackets - Crash test option	
XFF090010		Transit wheels	234
XFF090014		Frame reinforcement kit for add on bike	418
XFF090050		Anti-tip tubes, plug-in, pair	88
\/5500001		Anti-tip tubes, swing-away	406
XFF090004			106
XFF090006			211
XFF090001		Tip assist Left	34
XFF090003			68
XFF090009			81
7.1.7.000000		Crutoff Holder, 100p	
		EMPULSE F55 BUNDLING	
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102		With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
		Preparation for ATTITUDE Add-On bike	
XFF090211			118
XFF090212	0		
		FORKS (compare with your choice on the first page)	
XFF080013	0		
		Colour: □ Silver □ Orange □ Red (10) □ Blue (10)	56
XFF080029	0	Castor fork, Aluminium, 123mm Colour: Black	Std.
		Colour: Silver Orange	56
XFF080008		Castor fork, aluminium, one-arm Colour: Black	204
		Colour: ☐ Silver ☐ Orange ☐ Red ☐ Blue	56
XFF080007		Castor fork, aluminium, suspension (Frog Legs ®), black	342
		CASTORS (compare with your choice on the first page)	
XFF080301	0		
XFF080302	0		
XFF080304			96
XFF080306			96
		Colour, rim: Black Orange Red Blue	56

(9) only with 0° wheel camber

(10) only in combination with castor, soft (XFF080302 and XFF080306)

			£
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)	
XFF070000	0	Without rear wheel	
XFF070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 24")	
XFF070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")	
XFF070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last page)	
XFF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 100kg)	584
XFF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	529
XFF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	815
XFF070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (11) (only 24")	427
XFF070009		Rear wheel, Mountainbike, 36 spokes (silver), straight spokes (only 24")	360
XFF070010		Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	548
		Axle	
XFF070150	0	Quick-release axle (Standard option)	
XFF070151		Quick-release axle, designed for quads (12)	123
VEE 0 - 1 - 1		TYRES (choose only one tyre type)	
XFF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 24")	
XFF070102	0	Tyre, puncture proof, tread	400
XFF070107		Tyre, pneumatic, slick, Schwalbe One	109
XFF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	109
		HANDRIMS	
XFF070204	0	Handrims, stainless steel, silver	
XFF070202	0	Handrims, aluminium, anodised, silver	
XFF070201	0	Handrims, aluminium, powder-coated, clear	
XFF070203		Handrims, aluminium, powder-coated, coloured (select colour on last page, charged once)	
XFF070205		Handrims, titanium, untreated	224
XFF070206		Handrims, titanium, powder-coated, clear	224
XFF070207		Handrims, Supergrip ®	268
XFF070208		Handrims, Maxgrepp ® (only 24")	268
XFF070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip)	215
		Handador manufaci	
XFF070307	0	Hand rim mounting Handrim mount, super narrow (7 mm) (only with stainless steet)	
XFF070307 XFF070317	0	Handrim mount, super narrow (7 mm) (only with stainless steel) Handrim mount, narrow (17 mm) (Standard option)	
XFF070317 XFF070327	0	Handrim mount, wide (27 mm)	
X11010321		Transmit mount, wide (27 mm)	
		Handrim accessories	
XFF070250		Handrim cover, rubber (only 24")	109
		WHEEL CAMBER (choose only one option)	
XFF070600	0	0°	
XFF070602	0	2° (not with Centre of Gravity Adapter, lightweight)	
XFF070604	0	4° (not with Centre of Gravity Adapter, lightweight)	
XFF070831		SPOKE GUARDS (only 24") Transparent XFF070813 □ Galactica XFF070828 □ Space	147
XFF070823		Princess XFF070821 Pirates	147
XFF070816		Happy Lions XFF070814 Graffiti	147
XFF070819		Monkeys XFF070802 □ Basketball	147
XFF070820		Oriental XFF070812 Flying Water	147
XFF070829		Superhero XFF070833 Zebra	147
XFF070817		Hot Wheels XFF070818 □ Jungle Fever	147
XFF070822		Pool XFF070811	147
XFF070827		Silk XFF070806 □ Chrome	147
XFF070830		Tiger XFF070803 □ Basketball 2	147

⁽¹¹⁾ only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.

⁽¹²⁾ not with Rear wheels Spinergy/ Mountainbike/ drum brakes

										£
		WHEEL LOC	CKS					(choose o	only one o	otion)
XFF060001	0	Standard brake						(Standa	rd option)	
XFF060002		Knee-lever brak	ке							68
XFF060010		□ Brake leven	er extensior	n, knee-lever	brake, fold-	down				46
XFF060023		Compact brake								70
XFF060024		Lightweight com	npact brake	EVO						174
XFF060004		Compact brake,	, lightweight		(13)					174
		ACCESSORI	IES							
XFF090000	•	Tool kit								_
XFF090025	<u> </u>	Air pump	(014	1 \						19
XFF090024		High pressure p	oump (0 - 11	bar)						88
XFF090030 XFF090026		Back pack	ookot							72 53
XFF090026	ш	Mobile phone po	ockei							55
		COLOURS (1	4) Please	consult our	colour catal	ogue to review your colour cho	ice			
		OOLOOKO	1 10430	consuit our	coloui catan	byde to review your colour cho	100			
		Frame	Handrim £73	Hub/rim £207	X-brace £207		Frame	Handrim £73	Hub/rim £207	X-brace £207
02 Brilliant Silver		0				27 Graphitemetallic	0			
03 Silver Matt		0				29 Black	0			
06 Sun Yellow		0				31 Matt Black	0			
14 Blue		0				32 Signal White	0			
15 Brilliant Marine		0				33 Pink	0			
16 Matt Marine		0				34 Dark Chocolate Metallic	0			
19 Brilliant Purple		0				35 Skyblue	0			
21 Red Ruby		0				36 Cyan-Metallic	0			
22 Brilliant Red		0				37 Mars Red (Orange)	0			
23 Matt Red		0				40 Kiwi	0			
24 Tutti Frutti Oran	ge	0				41 Flamingo-Glitter	0			
						42 Matt-Anthracite	0			
						46 Mamba Green	0			
						Rear wheel, lightweight and		ge		(15)
						Rear wheel, lightweight and				(15)
	201	OUDO :				Rear wheel, lightweight and	dised, red			(15)
	lack		ckers ("Xenc	on ² " on the fr		uickie" on sideguard) Sticker "Quickie" on sideguard will be s	ailuar in aamhir	notion with oarl	on oidoau	ards) -
	ilver				(sucker Quickle on sideguard will be s	Silver III COITIDII	iation with cark	on sidegu	
	rang									
_	ed	90								_
	lue									-
(14) Handrim: only wi (15) only with 24" Ligh	ith ha htwei	ndrim colour powder ight wheel, Hub and r	coated; Hub/ri rim anodized, b	im: only for univ	versal wheel	ise with add on bikes; adjustment of C	CoG +/- approx	. 2,5cm in the t	iield	
Comments for	spe	ecial build - plo	ease apply t	for a quote; I	ead time cor	nditions may change.				
							k	ouilt	, <mark>4.</mark> (ne
QUICKIE XEN	ON	l² base price)				£2,995		_	
Option price							£			
Total Price							£			

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sidequard and hip on each side of the chair

(approx. 1 - 2 cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

b) On the wheelchair:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole. From front of seat tube to the ground.

(min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower

shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:102 cmMax. overall length:105 cmMax. turning circle:70 cmMax. safe slope:10°Wheelchair weight:from 8,8 kg

Wheelchair weight: from 8,8 kg
Dismantled weight: from 6,3 kg
Weight of heaviest part: 2.1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For 0° camber: SW + 16 cm SW + 16 cm For 2° camber: SW + 21 cm SW + 22 cm For 4° camber: SW + 26 cm SW + 27 cm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle.

In combination with XFF090100 (Tie down brackets for transportation).

For transport without a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm



XFF 020002 Seat sling with 1 utility bag



XFF 020003 Seat sling with utility bags



XFF 030316 EXO backrest sling



XFF 030317 EXO PRO backrest sling



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles , height-adjustable



XFF 090018 Lap belt with buckle, metal

Folding-Matrix for XFF 030031 Backrest, fold-down to the front.

Back height





	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles




=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded

JAY J3 backs





Shallow Contour

8 cm V

Mid Contour



XFF040107 Composite sideguard detachable



XFF040101 carbon fibre, cold weather protection, slim



XFF040102 Aluminium, cold weather protection



XFF040103 Aluminium, cold weather protection, fender



XFF04000x Desk sideguard, armpad, flip-up, removable



XFF040104 Carbon fibre, cold weather protection, fender



XFF050132 Footboard platform, lightweight, carbon fibre



XFF050059 Footboard platform, performance



XFF050027 Footboard platform, lightweight, carbon fibre, auto folding



XFF050127 Adjustable side protection



XFF090001 Tip assist



XFF090004 Anti-tip tubes, swing away



XFF090050 Anti-tip tubes, plug in, pair



XFF090010 Transit wheels



XFF070001 Universal wheel



XFF070002 Design wheel



XFF070003 Lightweight wheel



XFF07000 Proton wheel



XFF07010 Mountainbike wheel



XFF070101 Schwalbe Right Run



XFF070107 Schwalbe One



XFF070104 Schwalbe Marathon Plus Evolution



XFF070102 Tyre, puncture proof



XFF070202 Handrims aluminum, anodized



XFF070203 Handrims aluminum, powder coated, coloured



XFF070208 Handrims Maxgrepp



XFF070212 Handrims Ellipse 3R

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

				Seat Depth			
COG	380	400	420	440	460	480	500
40	×	×	×	~	~	~	~
60	×	×	×	×	V	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	V	~
90	×	×	×	×	×	V	~
100	×	×	×	×	×	×	~
110	×	×	×	×	×	×	~
120	×	×	×	×	×	×	×
130	×	×	×	×	×	×	×



XFF060001 Standard brake



XFF060002 Knee lever brake



XFF060003 Compact brake



XFF060004 Lightweight compact brake



XFF090000 Tool kit



XFF090024 High pressure pump



XFF090025 Air pump



XFF090030 Back pack



XFF090026 Mobile phone pocket



